

technopc




LEADER TECHNOLOGY BRAND OF TÜRKİYE

PRODUCT CATALOG



25
YEARS



PRIVATE SECTOR AND PUBLIC SECTOR PREFERENCE

CHANNEL LEADER IN CORPORATE / INDUSTRIAL SOLUTIONS

MARKET LEADER IN MEDICAL SOLUTIONS

DELIVERING SOLUTIONS SPECIFIC TO BRAND & INSTITUTION

STRONG PRODUCTION CAPACITY

MINISTRY-APPROVED R&D AND DESIGN CENTER

WIDE RANGE OF PRODUCTS



THE FIRST AND ONLY BRAND WITH "LOCAL MANUFACTURER" CERTIFICATE

LEADING BRAND IN HARDWARE SOLUTIONS - BASED ON "BILISIM TOP 500" RESEARCH

THE COMPANY WITH THE MOST CERTIFICATES IN THE SECTOR

MORE THAN 1 MILLION ACTIVE AND SECURED DEVICES

EXTENSIVE TECHNICAL SERVICE NETWORK IN 81 CITIES

1000+ PROJECT EXPERIENCE

EXPORT TO 54+ COUNTRIES



HEALTH

EDUCATION

FINANCE

DEFENCE



INDUSTRIES WE SERVE



TELECOMINICATION



LOGISTIC



PRODUCTION



RETAIL



MINI PC / ZERO - THIN CLIENT

Prime

- Nano Fanless
- Nano Cloud

Medium

- M315
- M515

Platinum

- TS610
- H610
- TSQ670



DESKTOP PC

INTEL

- PRO PC ATX/MATX
- PRO PC SFF
- PRO PC USFF

AMD

- PRO PC ATX/MATX
- PRO PC SFF
- PRO PC USFF



NOTEBOOK

INTEL Prime

- T114N33
- TW15AU3

AMD

- T15JR5

Medium


- TS15TM5
- TW15AU5

Platinum

- T15JR7

Platinum

- T1500T
- TW15AU7
- TC14AU



TABLET

ANDROID SERIES

- UP08
- UP10
- UP12

WINDOWS SERIES

- W12W4 (2in1)



ALL IN ONE

Prime

- S24-M113
- S24-M115

Medium

- S24

Platinum

- N24-M
- Q24-670



MONITORS

TPL SERIES

- 21.5" Monitor
- 23.8" Monitor
- 24" Monitor
- 27" Monitor
- 32" Monitor
- 42" Monitor
- 55" Monitor

PG SERIES

- 23.8" Monitor
- 27" Monitor



MEDICAL SOLUTIONS

MEDICAL WORKSTATION

- MIDS200/MIDS201 • MIDS300 • MIDS400

MEDICAL TABLET

- MD-T08ES • MD-T10ES • MD-T14ES

PENDALT

- PENDALT P100

MEDICAL PANEL PC

- P24A • P24B

MEDICAL HAND TERMINAL

- MD-T05U



INDUSTRIAL BOX PC

Prime

- TPC10T

Medium

- TPC805 Force
- TPC306
- TPCX5C
- TPC20T

Platinum

- TPC7050
- TPC7060
- TPC95G-Q370
- TPC40T
- TPC60T



RUGGED TABLET / RUGGED NOTEBOOK

TABLET Prime

- TM-T08
- TM-T10
- TM-T12

Medium

- TM-T08EJ
- TM-T10EJ
- TM-T12EJ
- TM-T07Q

Platinum

- TM-T08EU

NOTEBOOK

- TPN131
- TPN141
- TPN151



RUGGED HAND TERMINAL

Medium

- TM-T04
- TM-T05
- TM-T06

Platinum

- TM-T06U
- TM-T06U5G



PANEL PC

Prime

- TP1062
- TP1262
- TP1562
- TP1762
- TP1962
- TP2162
- Q70 Magic Touch
- Q80 Magic Touch

Medium

- TP1082
- TP1282
- TP1582
- TP1782
- TP1982
- TP2182
- Q100 Magic Touch
- Q118 Magic Touch



POS PC

Prime


- TPP250T

Medium

- TPPN18i3

Platinum

- TPP750T



SERVER / STORAGE / NAS/NVR

- AMD / INTEL Tower Server
- AMD / INTEL Rack Server
- Nas / NVR / JBOD



WORKSTATION

AMD / INTEL

- Work Station

AMD / INTEL

- GPU Server

MINI PC, ZERO / THIN CLIENT

Real Desktop Experience
with Our Mini PC Series

- Nano Fanless
- Cloud PC
- M315/M515
- TS610
- H640
- TSQ670



MINI PC

Nano Fanless



0 Decibel
Sound

OS	: Windows 10/11 Linux / Pardus / Ubuntu / Freedos
Chipset	: Processor Embedded Chipset
CPU	: Intel Celeron
Memory	: 2 x DDR4 Max 16GB 2933Mhz
Storage	: 1 x M.2 2260/2280 SATA 2TB : 1 x 2.5" HDD 2TB
Display Card	: Intel HD Graphics
Expansion	: 1 x 2,5" HDD / 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: Realtek ALC662 / 2 Channel High Definition Audio
Network	: 1x10/100/1000 Gigabit
Ports	: 2 x USB 3.0 / 1 x Power Supply LED / 1 x HD LED / 1 x SD Card Reader 1 x MIC-IN / : 1 x Speaker out / 4 x USB 2.0 / 1 x RJ45 Gigabit LAN / 1 x HDMI / 1 x DP / 1 x DC input / : 1 x RS232 / RS422 / RS485/1 x RS232 / 1 x External Power on / 1 x PS2
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Vesa	: Yes
Other	: Fanless Design / Solid Capacitors / 7/24 Nonstop Operation RTC Support / VGA (optional)
Case	: Ultra Mini ITX
Power	: 65W Adapter
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Nano Cloud



7/24
Operation

OS	: Windows 10/11 Linux / Pardus / Ubuntu / Freedos
Chipset	: Processor Embedded Chipset
CPU	: Intel Celeron / Pentium
Memory	: 4 GB LPDDR4X
Storage	: eMMC 64 GB / 128 GB
Display Card	: Intel HD Graphics
Expansion	: 1 x Micro SD slot (max.128GB)
Network	: 1x10/100/1000 Gigabit
Ports	: 2 x USB 3.2 / 1 x Power Supply LED / 1 x HD LED / 1 x SD Card Reader / : 1 x USB 2.0 / 1 x RJ45 Gigabit LAN / 1 x HDMI / 1 x DP / 1 x DC input / : 1 x RS232 / RS422 / RS485/1 x RS232 / 1 x External Power on
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Vesa	: Yes
Other	: Fanless Design / Solid Capacitors / 7/24 Nonstop Operation RTC Support / VGA (optional)
Case	: Nano
Power	: 35W Adapter
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

Product features are variable.

MINI PC

M315 / M515



OS	: Windows 10-11 Pro-Home / Linux / Pardus / FreeDos
Chipset	: Intel H510 Corporate Chipset
CPU	: Intel 11. Generation Processors Core i3 / i5 / i7
Memory	: 4GB/8GB/16GB/32GB DDR4 (2 x SODIMM DDR4 max. 64GB)
Storage	: 120GB / 240GB / 480GB / 1TB / 2 TB SSD / M.2 NVMe : 120GB / 250 GB / 500GB / 1TB / 2TB HDD
Display Card	: Intel UHD Graphics
Products	: Corporate
Suond Card	: High Definition Audio
Network	: Gigabit LAN
Ports	: 3 x USB 3.0 / 3 x USB 2.0 / 1 x HDMI / 1 x VGA (optional) : 1 x DP / 1 x RJ45 / 1 x DC / 1 x Type-C
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Case	: Metal Case
Power	: Power Supply with 85% Efficiency – 19V 3A
Dimensions	: 181 x 181 x 37mm
Other	: Dual Display / 24/7 Operation / Vesa Mounted Kit / Kensington Lock
Accessories	: Power Adapter / HDMI Cable / User Manual
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

TSQ670



OS	: Windows 10 Enterprise / Windows 11 / Linux / Freedos / Pardus
Chipset	: Intel Q670 Corporate Chipset
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 2 x DDR4 Max 64GB up to 3200Mhz
Storage	: 1 x M.2 2260/2280 SATA up to 2TB / 1 x 2.5" HDD 2TB
Display Card	: Intel UHD Graphics
Expansion	: 1 x 2,5" HDD / 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: High Definition Audio
Network	: Gigabit Dual LAN / 100 / 1000 MBit
Ports	: 1 x HDMI / 5 x USB 3.2 (1 x Type-C) / 2 x USB 2.0 / 1 x RJ45 : 2 x Audio / 1 x VGA (Optional) / 1 x DP (optional)
Vesa	: Yes
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Case	: Metal Case
Power	: 120W Adapter
Dimensions	: 190 x 165 x 43 mm
Other	: Ability to Display Image on 2 Different Screens Simultaneously / 100% Solid Capacitor / : Vesa Mounted Kit / Compatible with PTS Software / Kensington Lock / TPM Module
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

MINI PC

TS610



OS	: Windows 10-11 / Linux / Pardus / Freedos
Chipset	: Intel H610
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 2 x DDR4 Max 64GB 3200Mhz
Storage	: 1 x M.2 2260/2280 SATA 2TB
Display Card	: Intel UHD Graphics
Expansion	: 1 x 2,5" HDD / 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: High Definition Audio
Network	: Gigabit Dual LAN / 100 / 1000 / 2500 MBit
Ports	: 1 x HDMI / 2 x DP / 4 x USB 3.2 (1 x Type-C) / 4 x USB 2.0 / 2 x RJ45 : 2 x COM / 2 x Audio / 1 x VGA (optional)
Vesa	: Yes
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Case	: Metal Case
Power	: 120W Adapter
Dimensions	: 190 x 165 x 43 mm
Other	: Ability to Display Image on 3 Different Screens Simultaneously / 100% Solid Capacitor : Vesa Mounted Kit / Compatible with PTS Software / Kensington Lock / TPM Module
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

H610



OS	: Windows 10 Enterprise / Windows 11 / Linux / Pardus / Freedos
Chipset	: Intel H610
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 2 x DDR4 Max 64GB 3200Mhz
Storage	: 1 x M.2 2260/2280 SATA 2TB : 1 x 2,5" HDD up to 2TB
Display Card	: Intel UHD Graphics
Expansion	: 1 x 2,5" HDD / 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: High Definition Audio
Network	: Gigabit Dual LAN / 100 / 1000 MBit
Ports	: 1 x HDMI / 5 x USB 3.2 (1 x Type-C) / 2 x USB 2.0 / 1 x RJ45 / 2 x Audio / 1 x VGA
Vesa	: Yes
Keyboard & Mouse	: Technopc Q/TR Cabled Keyboard Mouse set (optional)
Case	: Metal Case
Power	: 120W Adapter
Dimensions	: 190 x 165 x 43 mm
Other	: Ability to Display Image on 2 Different Screens Simultaneously / 100% Solid Capacitor : Vesa Mounted Kit / Compatible with PTS Software / Kensington Lock / TPM Module
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

DESKTOP PC

Your Biggest Support
for All Your Business Needs

- Propc ATX
- Propc SFF
- Propc USFF



DESKTOP PC




Case Size : 350 x 190 x 380 mm

Propc ATX



Case Size : 334 x 96 x 370 mm

Propc SFF



Case Size : 225 x 76 x 193 mm

Propc USFF

Technopc PROPC series desktop computers. Reliable and easily manageable, these desktop computers are seamlessly used in all office environments. They are ideal for businesses seeking a combination of essential manageability, security, expandability, and energy efficiency features. Designed for both horizontal and vertical use in compact workspaces, the small form factor structure of PROPC desktop computers provides service convenience with a tool-less chassis design, making your work easier.

TECHNICAL SPECIFICATIONS PROPC INTEL SERIES

CPU Support	:	10. / 11. / 12. / 13. Generation Processors Celeron / Pentium / Core i3 / i5 / i7 Series
Memory	:	128GB up to DDR4 / DDR5 RAM Support
HDD	:	24 TB up to SATA Disc Support
Case	:	0.6 / 0.8mm With Sheet Thickness
		Tower, Mini Tower, SFF and USFF Full Case Varieties with Fanless Design
PSU	:	350-1650W Aktif PFC 80+ Bronze-Silver-Gold-Platinum Power Supply Options
Chipset	:	Intel H410 / H510 / H610 / Q470 / Q570 / Q670 / B460 / B560 / B660 Series Chipset
Other	:	Maximum Security with TPM Security Chip
		LVD and EMC Maximum Quality with Tests
		Inte vPro Manageability with Technology
Certificates	:	CE, RoHS, FCC, Epeat, Energy Star

PROPC AMD SERIES

CPU Support	:	AMD Ryzen - Ryzen Pro 3/5/7 Series / AMD Threadripper - Threadripper Pro
Memory	:	128GB up to DDR4 / DDR5 RAM Support
HDD	:	24 TB up to SATA Disc Support
Case	:	0.6 / 0.8mm With Sheet Thickness
		Tower, Mini Tower, SFF and USFF Full Case Varieties with Fanless Design
PSU	:	350-1650W Aktif PFC 80+ Bronze-Silver-Gold-Platinum Power Supply Options
Chipset	:	AMD A320 / B450 / A520 / B550 / B650 / X570 / X670 AM4 Chipset
Other	:	Maximum Security with TPM Security Chip
		LVD and EMC Maximum Quality with Tests
		AMD Pro Manageability with Technology
Certificates	:	CE, RoHS, FCC, Epeat, Energy Star

Product features are variable.

NOTEBOOK

Outstanding Performance Elegant Designs

- TC14AU
- TI4N33
- TS15TM
- TW15AU3/5/7
- TA15R5/7
- T1500T



NOTEBOOK

TC14AU



OS	: Windows 11 Pro-Home / Linux / Pardus / Freedos
Display	: 14" (35.56cm) FHD (1920x1080), 3.0 mm
CPU	: Intel 12. Generation Processors Core i3 / i5 / i7
Memory	: 8GB Internal + 1 x Ram Slot (Memory support up to 40GB DDR4)
Storage	: 256GB/500GB/1TB/2TB SSD / NVMe
Display Card	: Intel UHD Graphics
Sound Card	: HD audio, Internal speaker and microphone
Network	: 10/100 / 1000Mb Base-TX Ethernet LAN / 802.11a/b/g/n/ac/ax Wi-Fi / Bluetooth 5.0
Camera	: -
Ports	: 2 x USB 3.0 / 1 x USB 3.1 Type C / 1 x Mini Display Port 1.2 / 1 x HDMI : 1 x Speaker / 1 x Microphone / 1 x RJ-45 LAN Port / 1 x DC Power Supply / 1 x SD Card
Power	: Lithium polymer battery 12 hours (20 hours battery option optional)
Dimensions	: 330 x 226 x 19mm / 990gr.
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

TI14N33



	TI14N33	TI14N37
OS	: Windows 11 Pro-Home / Linux / Pardus / Freedos	
Display	: 14" 1920x1080 16:9 IPS Anti-reflective FHD	
CPU	: Intel Celeron	: Intel Pentium
Memory	: 4GB/8GB/16GB	
Storage	: Intel HD Graphics	
Display Card	: 128GB/256GB	
Sound Card	: 2 x 80/0.8W Internal speaker and microphone	
Network	: 802.11ac Wi-Fi / Bluetooth 4.0	
Camera	: 2 MP	
Ports	: 1 x USB 3.0 / 1 x USB 2.0 / 1 x Mini HDMI / 1 x 2-in-1 Audio Speaker + Microphone : 1 x SD Card expansion slot	
Power	: 4000 mAh Li-polymer	
Dimensions	: 327.5 x 218 x 20.5 mm / 1.5kg	
Certificates	: CE, RoHS, FCC, Epeat, Energy Star	
Warranty	: 2 Years	

Product features are variable.

NOTEBOOK

TA15R5 / TA15R7



TA15R5

TA15R7

OS	:	Windows 11 Pro-Home / Linux / Pardus / Freedos
Display	:	15,6" IPS FHD (1920x1080)
CPU	:	AMD R5 AMD R7
Memory	:	4GB / 8GB / 16GB / 32GB / 64GB (optional)
Display Card	:	Radeon Vega 8 Radeon Vega 10
Storage	:	120GB/240GB/500GB/1TB HDD - 500GB/1TB/2TB SSD / NVMe
Sound Card	:	High Definition Audio / Internal speaker and microphone
Network	:	Gigabit LAN Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2/BT5.0 - 4G LTE (optional)
Camera	:	2 MP
Ports	:	2 x USB Type-A / 1 x USB Type-C / 1 x RJ45 / 1 x Mini HDMI / 1 x 2in-1 Audio Speaker + Microphone 1 x SD Card expansion slot
Other	:	Kensington Lock / Fingerprint Reader
Power	:	5000 mAh Li-polymer
Dimensions	:	325 x 220 x 20 mm / 1700 g
Certificates	:	CE, RoHS, FCC, Epeat, Energy Star
Warranty	:	2 Years

TW15AU3/TW15AU5/TW15AU7



OS	:	Windows 11 Pro-Home / Linux / Pardus / Freedos
Display	:	15.6" FHD 16:9 Panel 1920 x 1080
CPU	:	Intel 11-12-13. Generation Processors i3-i5-i7 Processors
Memory	:	4GB / 8GB / 16GB / 32GB / 64GB (optional)
Display Card	:	Intel UHD Graphics
Storage	:	120GB/240GB/500GB/1TB HDD - 500GB/1TB/2TB SSD / NVMe
Sound Card	:	High Definition Audio / Internal speaker and microphone
Network	:	Gigabit LAN Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2/BT5.0 - 4G LTE (optional)
Camera	:	1.0M HD
Ports	:	2 x USB Type-A / 1 x USB Type-C / 1 x RJ45 / 1 x Mini HDMI / 1 x 2in-1 Audio Speaker + Microphone 1 x SD Card expansion slot
Other	:	Kensington Lock / Fingerprint Reader
Power	:	31 Wh (41 Wh Optional)
Dimensions	:	362 x 257 x 25mm / 2.0kg
Certificates	:	CE, RoHS, FCC, Epeat, Energy Star
Warranty	:	2 Years

Product features are variable.

Product features are variable.

NOTEBOOK

TS15TM



OS	: Windows 11 Pro-Home / Linux / Pardus / Freedos
Display	: 15.6" 1920x1080 16:9 IPS Anti-reflective FHD
CPU	: Intel 11-12-13. Generation Processors i3-i5-i7 Processors
Memory	: 4GB / 8GB / 16GB / 32GB / 64GB (optional)
Display Card	: 2GB DDR5 (MX330/MX450/MX570)
Storage	: 120GB/240GB/500GB/1TB HDD - 500GB/1TB/2TB SSD / NVMe
Sound Card	: High Definition Audio / Internal speaker and microphone
Network	: Gigabit LAN Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2/BT5.0 - 4G LTE (optional)
Camera	: 1 MP
Ports	: 2 x USB Type-A / 1 x USB Type-C / 1 x RJ45 / 1 x Mini HDMI / : 1 x 2in-1 Audio Speaker + Microphone 1 x SD Card expansion slot
Other	: Kensington Lock / Fingerprint Reader
Power	: 49Whr Li-polymer
Dimensions	: 327.5 x 218 x 20.5 mm / 1.9kg
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

T1500T



OS	: Windows 11 Pro-Home / Linux / Pardus / Freedos
Display	: 15,6" IPS FHD (1920x1080)
CPU	: Intel 11-12-13. Generation Processors i3-i5-i7 H ve P Processors
Memory	: 4GB / 8GB / 16GB / 32GB / 64GB (optional)
Display Card	: Nvidia RTX 3060 6 GB - 4060 6 GB / RTX 3070 8 GB - : 4070 8 GB / RTX 3080 8 GB - 4080 8 GB
Storage	: 120GB/240GB/500GB/1TB HDD - 500GB/1TB/2TB SSD / NVMe
Sound Card	: High Definition Audio / Internal speaker and microphone
Network	: Gigabit LAN Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2/BT5.0 - 4G LTE (optional)
Camera	: 0.3 MP
Ports	: 2 x USB 3.0 / 1x USB 2.0 / 1 x USB Type-C / 1 x Card Reader (SDHC/SDXC) / 1 x RJ45 / : 1 x HDMI 1 x Audio Speaker + Microphone
Other	: Kensington Lock / Fingerprint Reader
Power	: 4600 mAh Li-polymer / DC 19V 3.4A
Dimensions	: 380 x 245 x 20 mm
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

TABLET


Touch the Innovation

- UP08
- UP10
- UP12
- W12V4



TABLET

UP08/UP10/UP12



OS	: Android 9/10/11/12
Display Card	: 8"/10.1"/12" IPS
Touch Panel	: Multi-touch Screen
Resolution	: 1920 x 1080
Processor Brand	: Qualcomm / Mediatek / Spreadtrum
CPU	: 4/8 Core Processors
Memory	: 4GB /6GB LPDDR3/LPDDR4
Storage	: 32GB/64GB/128GB
Camera	: Ön: 0.3MP/2MP/5MP / Arka: 2MP/5MP/8MP/13MP
Ports	: Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2 / 5.0 - GPS - 3G /4G LTE / 5G
Battery	: 3.000MAh / 5.000MAh / 7.000MAh
Ports	: Mikro USB / SIM Kart
	: 3.5mm Headphone Jack / Micro SD Card Reader
Sensors	: G-Sensor, Gyro Sensor, E- Compass
Color	: Black
Accessories	: 1 x Adapter
Certificates	: CE, RoHS, FCC
Warranty	: 2 Years

W12V4



OS	: Android 9/10/11/12
Display Card	: 10.1" FHD IPS
Touch Panel	: Multi-touch Screen
Resolution	: 1920 x 1200
Processor Brand	: Qualcomm / Mediatek / Spreadtrum
CPU	: 4/8 Core Processors
Memory	: 4GB /6GB LPDDR3/LPDDR4
Storage	: 32GB/64GB/128GB
Camera	: Ön: 0.3MP/2MP/5MP / Arka: 2MP/5MP/8MP/13MP
Ports	: Wi-Fi 5 / Wi-Fi 6 / Wi-Fi 6E - BT4.2 / 5.0 - GPS - 3G /4G LTE / 5G
Battery	: 5.000MAh / 7.000MAh
Ports	: 3.5mm Headphone Jack, Micro SD Card, SIM Card,
	: 1x Micro USB
Sensors	: G-Sensor, Gyro Sensor, E- Compass, Light Sensor
GPS	: Available
Accessories	: AC Adapter, Micro USB Male / USBA
Certificates	: CE, RoHS, FCC
Warranty	: 2 Years

ALL IN ONE

Advanced Technology
Modern Design

- S24-M133 / S24-M115
- S24
- N24-M
- Q24-670



ALL IN ONE

S24-M113 / S24-M115



OS	: Windows 10-11 / Linux / Freedos
Display	: 23.8" Non-Touch LED 1920 X 1080 FHD
BIOS	: Technopc
CPU	: Intel 11. Generation Processors Core i3/i5
Memory	: 4/8/16/32GB DDR4 RAM support up to 2666 MHz
Storage	: M2 SATA / M2 Nvme SSD support (480GB/512GB/1TB SSD)
Display Card	: Intel Iris Graphics
Expansion	: 1 x M2 (2242/2260/2280 SSD) / 1 x M2 (For Wifi+BT) : 1 x SATA 6Gb/s / 2 x DDR4 SO-DIMM
Sound Card	: High Definition Audio / 2 x 3W Speaker
Network	: 1 x 10 /100 /1000 GBit Lan
Wi-Fi	: 802.11 b/g/n/ac / Bluetooth 5.0
Ports	: 2 x USB 2.0 / 4 x USB 3.0 / 1 x HDMI / 1 x DP / 1 x GBit LAN / 1 x Microphone Input/Output
Keyboard	: Technopc USB TR Q (optional)
Mouse	: Technopc USB Mouse (optional)
Additional	: Foot with Forward/Backward Tilt Stand
Power	: AC100-240V Adapter 19V 3.42A
Dimensions	: 542 x 175 x 445
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

S24



OS	: Windows 10-11 / Linux / Freedos
Display	: 23.8" Non-Touch LED 1920 X 1080 FHD
Chipset	: H510 / H610
BIOS	: Technopc
CPU	: Intel 10/11/12/13. Generation Processors Core i3/i5/i7, Pentium, Celeron
Memory	: 4/8/16/32GB DDR4 RAM support up to 2666 MHz
Storage	: M2 SATA / M2 Nvme SSD support (480GB/512GB/1TB SSD)
Display Card	: Intel UHD Graphics
Expansion	: 1 x M2 (2242/2260/2280 SSD) / 1 x M2 (For Wifi+BT) : 1 x SATA 6Gb/s / 2 x DDR4 SO-DIMM
Sound Card	: High Definition Audio / 2 x 5W Speaker
Camera	: 2MP / Microphone
Network	: 1 x 10 /100 /1000 GBit Lan
Wi-Fi	: 802.11 b/g/n/ac / Bluetooth 5.0
Ports	: 2 x USB 2.0 / 4 x USB 3.0 / 1 x HDMI / 1 x VGA / 1 x GBit LAN / 1 x Microphone input/output
Keyboard	: Technopc USB TR Q (optional)
Mouse	: Technopc USB Mouse (optional)
Additional	: Foot with Forward/Backward Tilt Stand
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

ALL IN ONE

N24-M



OS	: Windows 10-11 / Linux / Freedos
Display	: 23.8" Multi-Touch LED 1920 X 1080 FHD
Chipset	: H510 / H610
CPU	: Intel 10/11/12/13. Generation Processors Core i3/i5/i7, Pentium, Celeron
Memory	: 4/8/16/32/64GB DDR4 RAM support, up to 2933 Mhz
Storage	: M2 SATA / M2 Nvme SSD support (480GB/512GB/1TB SSD)
Display Card	: Intel UHD Graphics
Expansion	: 1 x M2 (2242/2260/2280 SSD) / 1 x M2 (For Wifi+BT) : 1 x SATA 6Gb/s / 2 x DDR4 SO-DIMM
Sound Card	: High Definition Audio / 2 x 3W Speaker
Camera	: 2MP / Microphone
Network	: 1 x 10 /100 /1000 GBit Lan
Wi-Fi	: 802.11 b/g/n/ac / Bluetooth 5.0
Ports	: 2 x USB 2.0 / 4 x USB 3.0 / 1 x HDMI : 1 x COM / 1 x GBit LAN / 1 x Microphone Input/Output
Keyboard	: Technopc USB TR Q (optional)
Mouse	: Technopc USB Mouse (optional)
Additional	: Foot with Forward/Backward Tilt Stand
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

Q24-670



OS	: Windows 10-11 / Linux / Freedos
Display	: 23.8" Multi-Touch LED 1920 X 1080 FHD
Chipset	: Intel Q670 Enterprise Chipset
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 4/8/16/32/64GB DDR4 RAM support up to 3200Mhz
Storage	: M2 SATA / M2 Nvme SSD support (480GB/512GB/1TB SSD)
Display Card	: Intel UHD Graphics
Expansion	: 1 x M2 (2242/2260/2280 SSD) / 1 x M2 (For Wifi+BT) : 1 x SATA 6Gb/s / 2 x DDR4 SO-DIMM
Sound Card	: High Definition Audio / 2 x 3W Speaker
Camera	: 2MP / Microphone
Network	: 1 x 10 /100 /1000 GBit Lan
Wi-Fi	: 802.11 b/g/n/ac / Bluetooth 5.0
Ports	: 2 x USB 2.0 / 4 x USB 3.0 / 1 x Type-C (optional) / 1 x HDMI / 1 x DP (optional) / : 1 x VGA (optional) / 1 x COM / 1 x GBit LAN / 1 x Microphone input/output
Keyboard	: Technopc USB TR Q (optional)
Mouse	: Technopc USB Mouse (optional)
Additional	: Foot with Forward/Backward Tilt Stand
Certificates	: CE, RoHS, FCC, Epeat, Energy Star
Warranty	: 2 Years

Product features are variable.

MONITOR

Fast response time, wide screen

- 21,5" MONITOR
- 23,8" MONITOR
- 24" MONITOR
- 27" MONITOR



MONITOR



Technopc TPL22V

Technopc TPL24V

Technopc TPL27V



Quantum PG24

Quantum PG27

Display	Size	21,5"	23,8"	24"	27"	23,8"	27"
	Format	16:9 / 16:10				16:9	
	Panel	LED Lighting VA/IPS Panel / Backlit				LED Lighting VA/IPS Panel / Backlit	
Video Entry	VGA	Available				Available	
	HDMI	Available				Available	
	DP	Available				Available	
Resolution		1920x1080 / 1920x1200 Full HD				1920x1080 Full HD	
Response Time		5 MS				1 MS	
Angle of vision	Horizontal	178°				178°	
	Vertical	178°				178°	
Frequency		60/75 Hz				200/240 Hz	
Brightness		250CD/M2				300CD/M2	
Contrast	Static	1000:1				3000:1 / 4000:1	
Certifications		Energy Star, CE, RoHS, FCC, Epeat				Energy Star, CE, RoHS, FCC, Epeat	
Stand		Optional				Optional	
Vesa		Available				Available	
Accessories		HDMI & VGA Cable / Power Cable				DP Cable / Power Cable	
Speaker		Available				Available	

Product features are variable.

MEDICAL SOLUTIONS

Leading technologies in the healthcare industry

- Medical Work Station
- Medical Panel PC
- Medical AIO
- Pendalt
- Medical Tablet
- Medical Monitor
- Medical Hand Terminal



MEDICAL SOLUTIONS



MIDS200/MIDS201

Display	: 19.5"
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 4/8/16/32/64GB DDR4 RAM up to 3200Mhz
Storage	: M2 SATA / M2 Nvme SSD support : (480GB/512GB/1TB SSD)
OS	: Dual OS
Ethernet	: 802.11 b/g/n/ac / Bluetooth 5.0
Camera	: Optional
Other	: Antibacterial polyethylene body drawers : Depth 50mm, 100mm and 200 mm : The drawers are arranged as 3 small, 1 medium, : and 1 large.
Power	: 150-400W *
Warranty	: 2 Years
Certificates	: CE, RoHS, FCC, EN 60601-1



MIDS300

Display	: 19.5" / 21.5" / 23.8"
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 4/8/16/32/64GB DDR4 RAM up to 3200Mhz
Storage	: M2 SATA / M2 Nvme SSD support : (480GB/512GB/1TB SSD)
OS	: Dual OS
Ethernet	: 802.11 b/g/n/ac / Bluetooth 5.0
Camera	: Optional
Standart Set	: Keyboard and screen support, Screen mounting bracket : Charging port, Hidden foldable extra table : 2 x Trash bin, 1 x Vaccine box and holder : 1 x Sanitizer holder, 6 x Drawer, 1 x Central lock
Accessories	: Screen, 2 x Battery, 1 x External charger : 1 x Folding chair, 1 x Micro host adapter : 1 x Power cable, 1 x Glove box
Other	: All parts are embedded for drop, impact, etc.resistance. : Keyboard and screen are rotatable. : There are hidden compartments and accessory sections. : There is a central lock system.
Warranty	: 2 Years
Certificates	: CE, RoHS, FCC, EN 60601-1



MIDS400

Display	: 21.5"
CPU	: Intel 12.-13. Generation Processors i3/i5/i7/i9
Memory	: 4/8/16/32/64GB DDR4 RAM up to 3200Mhz
Storage	: M2 SATA / M2 Nvme SSD support : (480GB/512GB/1TB SSD)
OS	: Windows 10-11 / Freedos
Network / Ethernet	: 802.11 b/g/n/ac / Bluetooth 5.0
Camera	: Optional
Other	: Barcode Reader : 1 x 2,5" HDD / 1 x Mini PCI EX : 2 x USB 3.0 / 4 x USB 2.0 / 1 x VGA / 1 x HDMI / : arranged in the form of.
Power	: 150-400W *
Warranty	: 2 Years
Certificates	: CE, RoHS, FCC, EN 60601-1

MEDICAL SOLUTIONS



MD-T08ES



MD-T10ES



MD-T14ES

OS	: Android 7.1
Display	: 8" IPS, 800 x 1280, 300 Nits : 10-Point Capacitive Touch
CPU	: 8 Core
Memory	: 2 / 4 GB LPDDR3
Display Card	: PowerVR SGX6110
Storage	: 32 / 64 / 128 GB eMMC 5.1
Sound Card	: 8 / 2W Speaker and Microphone
Network	: 802.11ac Wi-Fi / Bluetooth 4.0
Camera	: 2 MP / 8 MP Auto Focus
Ports	: 1 x Micro USB / 1 x HDMI Type D : 1 x Speaker and Microphone / 1 x DC : 1 x USB2.0
Other	: 2D Barcode reader (optional) : GPS / Trust Zone Technology Support : ESD Protection/Chemically Hardened Glass : Fingerprint-resistant coating
Power	: 7.4V 3200mAh
Dimensions	: 230 x 150 x 25 mm / 750 Gr.
Certificates	: CE, RoHS, FCC, EN 60601-1
Warranty	: 2 Years

Windows 10 Pro / IoT, Linux
10.1" IPS, 1920 x 1200, 300 Nits
10-Point Capacitive Touch
Intel Pentium / Core I5
4 / 8 GB LPDDR3
PowerVR SGX6110
128 / 256 / 512 GB / 1 TB M.2 SSD
2 x 8 / 2W Speaker and Microphone
802.11 a/b/g/n/ac, 2.4 & 5 GHz / Bluetooth 4.2 / 4G (optional)
2 MP / 5 MP Auto Focus
1 x USB 3.0 / 1 x HDMI Type A
1 x Speaker and Microphone / 1 x DC
1 x RJ45 10/100/1000M
1 x MicroSD / 1 x Micro SIM
1 x Docking Connector (12DC & 2x USB)
NFC (opsiyonel) / RFID (optional)
2D Barcode reader (optional)
Fingerprint recognition (optional)
GPS (optional) / Trust Zone Technology Support / ESD Protection
Chemically Hardened Glass
Fingerprint-resistant coating
11V, 3800mA
280 x 258 x 24 mm / 1100 Gr.
CE, RoHS, FCC, EN 60601-1
2 Years

Windows 10 Pro / Home / LTSPB
14" IPS, 1920 x 1200, 300 Nits,
10-Point Capacitive Touch
Intel Core I3 / Core I5
4 / 8 GB DDR3
Intel HD Graphics
128 / 256 / 512 GB / 1 TB M.2 SSD
2 x 8 / 2W Speaker and Microphone
-
2 MP / 5 MP Auto Focus
1 x RJ45 10/100M Port
1 x USB 3.0 / 1 x USB 2.0 / 1 x HDMI Type A
1 x Headphones, Microphone
1 x DC Input DC Input (optional aviation plug)
GPS (optional) / CAC Card - Barcode reader
Intel AES New directive support
ESD Protection 4KV Touch 8KV Air
Anti-Microbial Medical Chassis (optional)
Medical AC Adapter (optional)
Chemically Hardened Glass / Fingerprint-resistant coating
7.4, 1000mAh
360 x 228 x 38 mm / 2500 Gr.
CE, RoHS, FCC, EN 60601-1
2 Years

MEDICAL SOLUTIONS



P24A



P24B

CPU	Intel Core i3/i5/i7	
OS	Windows 7, 8, 8.1, 10, Linux	
Memory	8GB DDR4 2133 SD Ram (up to 64GB)	
Display Card	24" / 55" / 60" full color TFT LCD (16:9) 1920 x 1080	24" / 55" / 60" TFT LCD (16:10) 1920 x 1200
Graphic Card	Intel® HD Graphics	
Expansion	Mini PCIe 1 x Full Size, Half Size, mSATA, USB, PCIe	
Storage	500GB / 1TB / 2 TB HDD, 120GB / 250GB / 500GB SSD	
Ports	1 x RS-232/422/485, 1 x RS-232, in the IET module 1x RS-232 (isolated 5KV), 1x RS-232/422/485 (isolated 5KV) / 4 x USB3.0, 4 x USB2.0, 2 x USB2.0 (isolated 5KV) HDMI connection port in the IET module HDMI video output	1 x RS-232/422/485, 1 x RS-232, in the IET module 1x RS-232 (isolated 5KV), 1x RS-232/422/485 (isolated 5KV) / 4 x USB3.0, 4 x USB2.0, 2 x USB2.0 (isolated 5KV) HDMI connection port in the IET module HDMI video output
Sound Card	2 x 2W, Audio output and microphone input	
LAN	1 x Gigabit Ethernet, 1 x Intel Ethernet, in the IET module 2 x Intel Ethernet (isolated 5KV)	
Power	DC to AC model / Medical AC Adapter, + 24V DC, 3.75A max. (90W)	
Dimensions	587,0 mm x 367,5 mm x 59,0 mm / 7Kg	574 mm x 388 mm x 63 mm
Operating temp.	0 ~ 35 °	0 ~ 40 ° C, (Storage Temperature -20 ~ 60 ° C) Humidity:% 0 ~ % 90 Relative Humidity, Non-Condensing
Replacement battery	1100mAh (optional)	1100mAh 4S1P max. 20 20 minutes backup process
NFC / RFID	NFC USB interface (optional)	USB interface ISO 14443-A Please clarify
WLAN / Bluetooth	Mini PCIe interface IEEE 802.11 a / b / g / n / ac, 2.0 1T1R ve BT4.0 + BLE	
Camera	2.0M CMOS (optional)	2.0M CMOS
Glass	Anti-Microbial Anti-Bacterial	95% AR Coating, Pcap Projected Capacitive 10-point, 89% AR Coating
Certifications	CE, RoHS, FCC, EN 60601-1	
Vibration	-	1.5Grms, IEC 60068-2-64, Radom, 5 ~ 500Hz, 30minute / Axis surface Anti-Microbial final process
Other	TPM 2.0	-

MEDICAL SOLUTIONS

Pendalt P100



Display	: 10.1" IPS / 5 Capacitive Touch / Gorilla Glass / 400 nits
Resolution	: 1280 x 800 Screen Resolution
OS	: Windows 10 PRO / IOT / HOME
Chipset	: Intel Celeron
Memory	: 4GB / DDR3 1600MHz
Storage	: 128 GB SSD
SD Card Support	: 512 GB
Display Card	: Intel HD Graphics
Network	: 2x 10/100/1000Mbps Gigabit Ethernet / Dual Wifi (2,4+5.0 Ghz)
Ports	: 2 x USB 2.0 / 2 x USB 3.0 / 1 x HDMI / 2 x RJ45 / 2 x RS232 / 2 x RS232 / 422 / 485
Other	: IP65 Design / 2D Barcode reader / NFC (optional) / BT 4.0
	: Docking Konnektör (optional) / Pasif Stylus
	: 180° ergonomic adjustable stand / High battery life
Features	: Electrostatic powder-coated aluminum alloy handle
Mechanical Connection	: Stainless steel
Environmental	: -10 ~ +50
Power	: 12V,2A
Certificates	: CE, RoHS, FCC, EN 60601-1

MD-T05U



OS	: Android 9.0
Display	: 5.7" IPS / 400 nits
Touch	: Capacitive touchscreen
Resolution	: 720 x 1440 / 1920 x 1080 (optional)
CPU	: Qualcomm Octa-Core 2.2GHz / 1.8 GHz / 1.4 GHz
Memory	: 4 GB/ 6 GB (optional)
Storage	: 64/128 GB
Wi-Fi	: Dual Wifi (2,4+5.0 Ghz 802.11 a/b/g/n/ac/ax)
Ports	: 4G / NFC / Wireless charging
Gps	: Bluetooth 5.0 / GPS
Sensor	: G-sensor / Jiroskop / Light sensor
Camera	: 2 MP / 16 MP
Battery	: 4300mAh / 5V/2A QC3.0 Fast Charging
Reader	: 2D Barcode reader (optional)
Ports	: 1 x Type C USB3.0 (OTG)
Dimensions	: 163 x 77 x 14 mm / 250 Gr.
Certificates	: CE, RoHS, FCC, EN 60601-1
Accessories	: Handgrip (optional) / Barcode scanner (optional)

INDUSTRIAL BOX PC

Outstanding Performance with Extreme Stability,
High Performance and Uninterrupted Duty

- IND10T
- IND20T
- IND40T
- IND60T
- TPC805 Force
- TPC306
- TPCX5C
- TPC7060
- TPC7050
- TPC95G-Q370



INDUSTRIAL BOX PC



TPC10T

TPC20T

TPC40T

TPC60T

OS	: Windows 10-11 / Linux / Freedos	Windows 10-11 / Linux / Freedos	Windows 10-11 / Linux / Freedos	Windows 10-11 / Linux / Freedos
System	: Fan / Fanless	Fan / Fanless	Fan / Fanless	Fan / Fanless
Case	: Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)	Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)	Intel 10-11-12. Generation (Celeron Pentium i3/i5/i7)	Intel 10-11-12. Generation (Celeron Pentium i3/i5/i7)
Chipset	: SoC	SoC	Intel® QM87	Intel® QM87
System Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz	2GB/4GB/8GB/16GB/32GB DDR4 2133MHz	2GB/4GB/8GB/16GB/32GB DDR4 2133MHz	2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)	1 x 2.5" SATA / 1 x M.2 (2280)	1 x 2.5" SATA / 1 x M.2 (2280)	1 x 2.5" SATA / 1 x M.2 (2280)
Communication	: WLAN PCIe Mini Wi-Fi 802.11b / g / n (optional)	-	-	-
Bluetooth	: BT 4.0/3.0+HS (With WLAN module)	-	-	-
WWAN	: PCIe Mini WCDMA / HSDPA / HSUPA (optional)	-	-	GPRS / UMTS / HSDPA / LTE
GPS	: Available	-	-	-
Ports	: 4 x USB 3.0 : 1 x RJ-45 PCIe GbE by Intel® I211 : 1 x RS-232/422/485 (BIOS Configured) : 1 x 16-bit digital I/O (8-bit input / 8-bit output) : 1 x DB9 OBD-II/J1939 : 1 x Audio line out	: 2 x USB3.0 : 2 x USB2.0 : 4 x RJ-45 GbE Lan : 2 x DB-9 RS-232/422/485, 3 x DB-9 RS-232 (optional) : 8 bit digital I/O (4-bit input, 4-bit output) (optional) : 1 x Line out, 1 x Mic in	: 1 x PS2 (KB/MS) : 2 x USB3.0 : 2 x USB2.0 : 2 x RJ-45 with teaming support : 1 x PCIe GbE by Intel® I217LM : 1 x PCIe GbE by Intel® I210-AT (2 with 2 kV isolation) : 1 x DB-9 (non-isolated) : 4 x RS-232/422/485 (with 2.5 kV isolation) : 2 x CAN-bus (with 2.5 kV isolation) : 1 x Line-out, 1 x Line-in, 1 x Mic-in : 2 x Antenna SMA hole (reserved)	: 2 x USB 3.0 : 1 x USB 2.0 (M12 connector) : 2 x M12 connector PCIe GbE by Intel® I1211 : 2 x DB-9 RS-232/422/485 (with 1.5 kV isolation) : 1 x Terminal block for 8-bit digital I/O (4-bit I/O, 1.5 kV isolation) : 1 x Line-out, 1 x Mic-in
Display Card	: 1 x VGA, 1 x HDMI	1 x VGA, 1 x HDMI	1 x VGA / 1 x DVI-D / 1 x HDMI	1 x VGA / 1 x DVI-D
SIM	: 2 x SIM Card slot	1 x SIM Card slot	-	2 x SIM Card slot
Other	: VESA	-	IEI iRIS-2400 (IPMI 2.0 compliant), Isolation protection	-
Expansion	: 2 x Full/Half-size PCIe Mini, 1 x PCIe Mini	1 x Half-size PCIe Mini, 1 x PCIe Mini	2 x Full size PCIe Mini	2 x Full size PCIe Mini (PCIe/USB2.0/SATA)
Power	: DC 9 V ~ 30 V	DC 9 V ~ 36 V	DC 18 V ~ 36 V	24V / 110V DC
Environmental	: -30°C ~ +70°C / 10% ~ 95% Humidity	-20°C ~ 60°C / 5% ~ 95% Humidity	-15°C ~ +55°C / 5% ~ 95% Humidity	-40°C ~ 70°C (EN 50155) / 10% ~ 95% Humidity
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155	CE, RoHS, FCC, IEC 60945, EN 50155	CE, RoHS, FCC, IEC 60945, EN 50155	CE, RoHS, FCC, IEC 60941, EN 50155
Dimensions	: 260 x 170 x 62	255 x 65 x 152 mm	292 x 75 x 225 mm	292 x 70 x 225 mm

Product features are variable.

INDUSTRIAL BOX PC

TPC805 Force



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
Display Card	: Intel HD Graphics
Network	: 2 x 10/100/1000Mbps Gigabit Ethernet
Wireless	: 802.11a/g/n/ac, 2x2 Antenna, 2.4/5 GHz, 300 Mbps
Ports	: 4 x RS232, DB9 / 2 x RS485 (optional) / 2 x 10/100/1000Mbps Ethernet / : 2 x HDMI, : VGA+HDMI (optional) / 4 x USB 3.0 / 1 x Audio
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Power	: 9-36V Power Supply
Case	: High-strength aluminum alloy front panel / fanless
Environmental	: Operating Temperature: -10°C / +60°C
Dimensions	: 305 x 185 x 55 mm / 3.2 Kg
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

TPC306



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
Display Card	: Intel HD Graphics
Network	: 2 x 10/100/1000Mbps Gigabit Ethernet
Wireless	: 802.11a/g/n/ac, 2x2 Antenna, 2.4/5 GHz, 300 Mbps
Ports	: 4 x Com Port RS232 / 2 x Com Port RS422/RS485 (optional) : 4 x USB 2.0 / 2 x USB 2.0 + 4x USB 3.0 (optional) / 1 x HDMI / 1 x VGA : 2 x Realtek 8111E 10/100/1000Mbps Ethernet / 1 x Audio Line-out / 1 x Audio Mic-in
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Power	: 9-36V Power Supply
Case	: High-strength aluminum alloy front panel / fanless
Environmental	: Operating Temperature: -10°C / +60°C
Dimensions	: 225 x 195 x 45 mm / 2.35 Kg
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

INDUSTRIAL BOX PC

TPCX5C



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
Display Card	: Intel HD Graphics
Network	: 10/100/1000Mbps Gigabit Ethernet / 802.11a/b/g/n Wireless
Ports	: 4 x USB3.1 Gen 1 / 4 x USB2.0 / 1 x VGA / 1 x HDMI / 5 x Com Port / 2 x RJ45 : Front Panel 1 x Speaker + Microphone/Back Panel 5.1 5.1 Channel Audio Output/1 x Power Input
Expansion	: 1 x 2.5" HDD / 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: 6 channels
Other	: Ultra-thin special design / 5 x Industrial Use with Com port / Dual Display Support : Dual Ethernet / Vesa Support / Up to 70% Energy Savings / 4K Support
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Case	: Ultra Mini ITX
Power	: 90W Adapter
Dimensions	: 200 x 72.5 x 241
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

TPC7060



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
Display Card	: Intel HD Graphics
Network	: 2 x 10/100/1000Mbps Gigabit Intel Ethernet
Ports	: 4 x USB3.0 / 2 x USB2.0 / 1 x VGA / 1 x HDMI / 1 x Display Port / 2 x RJ45 : 6 x Com Port / 2 x Audio Input/Output / 1 x Power Input
Expansion	: 3 x mSATA
Sound Card	: 6 channels
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Power	: 9-36V Power Supply
Environmental	: Operating Temperature: -18 - 65° / Shock Resistance: 4G 12MS
Dimensions	: 311 x 202 x 64mm
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

INDUSTRIAL BOX PC

TPC7050



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
Display Card	: Intel HD Graphics
Network	: 2 x 10/100/1000Mbps Gigabit Intel Ethernet
Ports	: 4 x USB3.0 / 4 x USB2.0 / 3 x HDMI (H110 In models with chipsets 2 x HDMI) : 2 x RJ45 / 2 x Com Port / 2 x Audio Input/Output / 1 x Power Input
Expansion	: 1 x Mini PCIe (Full Size) / 1 x Mini PCIe (Half Size)
Sound Card	: 6 channels
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Power	: 12-24V Power Supply
Environmental	: -20°C / +70°C
Dimensions	: 239 x 62 x 246mm
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

TPC95G-Q370



OS	: Windows 10-11 / Linux / Freedos
CPU	: Intel 10-11-12. Generation Processors (Celeron Pentium i3/i5/i7)
Memory	: 2GB/4GB/8GB/16GB/32GB DDR4 2133MHz
Storage	: 1 x 2.5" SATA / 1 x M.2 (2280)
GPU	: AMD E8860 GPU 2GB GDDR5 128 Bit
Display Card	: 2x / 6x / 8x / 15x 4K display support, HDMI 2.0 / DP (Resolution 4096x2304) 60Hz max.
Network	: 2 x 10/100/1000Mbps Gigabit Ethernet / 802.11a/b/g/n Wireless (optional)
Expansion	: 1 x M.2 SSD / 1 x SATA / 1 x M.2 2230 Wifi+BT (optional) / 1 x Mini-PCIe 3G/4G (optional)
Ports	: 2 x USB3.1 / 1 x USB3.0 / 2 x USB2.0 / 1 x Type C / 2 x Com Port / 1 x SIM Card : 2 x RJ45 / 1 x Audio Out / 1 x Mic In / 1 x Power Input
Other	: 5 x Industrial Use with Com port / TPM security module : Support for up to 3 monitors / Watchdog Timer / Expansion capability with PCI ports
Keyboard & Mouse	: Technopc Multimedia Keyboard & Mouse Wired / Wireless Black / White Set
Power	: AC 110 ~220 V
Environmental	: 0 ~ +40°
Dimensions	: 400 x 235 x 45 mm
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

RUGGED TABLET / RUGGED NOTEBOOK

The Strongest Player of Field Conditions

- TM-T07Q/ T08Q/T10Q/T12Q
- TM-T08EU/TM-T10EU/TM-T12EU
- TM-T08/08EJ/T10/T10EJ/T12/T12EJ
- TPN131
- TPN141
- TPN151



RUGGED TABLET

TM-T07Q/T08Q/T10Q/T12Q



OS	: Android 9 / 10 / 11 / 12
Display	: 7"/8"/10"/12" IPS Display / Gorilla Glass
Touch Panel	: Multi-touch Panel
Memory	: 800x1280 (1920 x 1200 optional), 300Nit Brightness (600/800/1000Nit optional)
CPU	: Qualcomm / Mediatek (4/8 Core)
Memory	: 4GB/6GB LPDDR3/LPDDR4
Storage	: 64GB/128GB eMMC
Camera	: Front: 5.0MP / Back: 13.0MP
GPS	: Yes
Ports	: 802.11 b/g/n Dual Wi-Fi / 3G / 4G / Bluetooth
Battery	: 6.000mAh (7" / 8") / 8.000 mA (10") / 12.000mAh (12")
Ports	: DC IN / USB Type C / USB 2.0 / Micro SD Card Reader / Micro Sim Card / HDMI
	: 3.5mm Headphone Jack
Sensors	: Light sensor, GPS, G-Sensor, M-Sensor
Industrial Hardware	: 1D-2D Barcode Reader (optional) / NFC
Certificates	: Energy Star, CE, RoHS, FCC, MIL-STD 810G
Dimensions	: 228 x 150 x 20mm (8") / 278 x 188 x 22mm (10") / 320 x 216 x 25mm (12.2")
Weight	: 670 gr.(8") / 960 gr. (10") / 1500gr (12")

Product features are variable.

TM-T08EU/TM-T10EU/TM-T12EU



OS	: Windows 10 / 11 (Home / Professional / Enterprise) / Linux / Freedos
Display	: 8"/10.1"/12.2" IPS Display / Gorilla Glass
Touch Panel	: Multi-touch Panel
Resolution	: 800x1280 (1920 x 1200 optional), 300Nit Brightness (600/800/1000Nit optional)
CPU	: 8/11/12. Generation Processors Intel Core i5/i7
Memory	: 8GB/16GB/32GB DDR3/DDR4
Storage	: 128GB/256GB/512GB
Camera	: Front: 2.0MP / Back: 5.0MP (5 MP + 13 MP optional)
GPS	: Yes
Ports	: 802.11 b/g/n Dual Wi-Fi / 3G / 4G / Bluetooth
Battery	: 7.4V 5.000mAh (Interchangeable) + 7.4V 850mAh (Internal)
Ports	: Micro USB 2.0 / USB 3.0 / Sim Card / RJ45 (optional) / 3.5mm Headphone Jack
Sensors	: Light sensor, GPS, G-Sensor, M-Sensor
Industrial Hardware	: 1D-2D Barcode Reader (optional) / NFC (optional) / 4G (optional)
Accessories	: Docking Station, Handheld Controller, Barcode Scanner
Certificates	: Energy Star, CE, RoHS, FCC, MIL-STD 810G
Dimensions	: 228 x 150 x 20mm (8") / 278 x 188 x 22mm (10") / 320 x 216 x 25mm (12.2")
Weight	: 670 gr.(8") / 960 gr. (10") / 1500gr (12")

Product features are variable.

RUGGED TABLET



TM-T08/T08EJ

TM-T10/T10EJ

TM-T12/T12EJ

OS	:	Windows 10 / 11 (Pro / Enterprise) / Linux / Freedos		
Display	:	8" IPS Ekran (gorilla glass)	10.1" IPS Ekran (gorilla glass)	12,2" IPS Ekran (gorilla glass)
Touch Panel	:	Çoklu Dokunmatik Panel		
Resolution	:	1280 x 800	1280 x 800 IPS	1920x1200 IPS
CPU	:	Intel Atom - Celeron i3/i5/i7 işlemci		
Memory	:	4 GB / 8 GB		
Storage	:	64 GB / 128 GB		
Wi-Fi	:	802.11 a/b/g/n (ac opsiyonel)		
Ports	:	4G LTE 1/3/7/20/38/39/40/41		
Gps	:	BT 4.2 (5.0 opsiyonel), GPS		
Sensors	:	G-Sensör / Ivme Sensörü		
Camera	:	Ön: 2.0MP (5.0MP) / Arka: 5.0MP(8MP/13MP)		
Battery	:	6000 mAh / 8000 mAh / 10000 mAh (değiştirilebilir pil opsiyoneldir)		
Endüstriyel Donanımlar	:	IP65 / IP67 / IP69 / 1,2m Düşme Dayanıklılığı / MLT-STD-810G		
Okuyucular	:	1D-2D Barkod Okuyucu (optional) / RFID Okuyucu (optional) / NFC (optional)		
Ports	:	DC IN / Mikro USB / USB Type-A / Mikro SD Kart Okuyucu / Sim Kart / HDMI / 3.5mm Kulaklık Girişi 1 x RS232 (optional) / 1 x RJ45 (optional)		
Certificates	:	Energy Star, CE, RoHS, FCC, MIL-STD 810G		

Product features are variable.

RUGGED NOTEBOOK



TPN131



TPN141



TPN151

OS	:	Windows 10 / 11 (Pro / Enterprise) / Linux / Freedos		
Display	:	13.3" IPS Display	14" IPS Display	15.6" IPS Display
Touch Panel	:	10-Point Touchscreen Panel (optional)		
Resolution	:	1920x1200 IPS		
CPU	:	11/12. Generation Processors (i3/i5/i7)		
Memory	:	4 GB / 8 GB / 16 GB / 32 GB		
Storage	:	64 GB / 128 GB / 256 GB / 512 GB		
Wi-Fi	:	802.11 a/b/g/n (ac optional)		
Ports	:	4G LTE 1/3/7/20/38/39/40/41 (optional)		
Gps	:	BT 4.2 (5.0 optional), GPS		
Camera	:	1.0MP		
Battery	:	5600 mAh	2000 mAh (Internal) + 6300 mAh (Replaceable)	1750 mAh (Internal) + 6300 mAh (Replaceable)
Industrial Hardware	:	IP65 / 1,2m Drop Resistance or Drop Protection / MIL-STD-810G		
Reader	:	1D-2D Barcode Reader / NFC (optional)		
Ports	:	1 x HDMI / 1 x RJ45 / 1 x RS232 / 3 x USB 3.0 / Card Reader TPN141/TPN151 2 x RJ45		
Certificates	:	Energy Star, CE, RoHS, FCC, MIL-STD 810G		

RUGGED HAND TERMINAL

High-Speed Data Communication with Resistant to Hard Environmental Conditions

- TM-T04
- TM-T05
- TM-T06
- TM-T06U
- TM-T06U5G



RUGGED HAND TERMINAL



TM-T04

TM-T05

TM-T06

TM-T06U

TM-T06U5G

OS	:	Android 9/10/11/12			
Display	:	4.0" LCD / Gorilla Glass	5.0" LCD / Gorilla Glass	5.7" IPS / 400 nits	5.7" LCD / Gorilla Glass
Touch Panel	:	Capacitive Touchscreen			
Resolution	:	800 x 480	1280 x 720	720 x 1440 / 1920 x 1080 (optional)	1440 x 720
CPU	:	Qualcomm / Mediatek (8 core 1,8 GHz / 2.0 GHz / 2.2 GHz)			
Memory	:	4 GB/ 6 GB (optional)			
Storage	:	64/128 GB			
Wi-Fi	:	Dual Bant WIFI 5 WIFI6 WIFI 6E			
Network	:	2G / 3G / 4G / NFC / RFID / 5G (TM-T06U Applicable for)			
Gps	:	Bluetooth 5.0 / GPS / BDS / GLONASS			
Sensors	:	G-sensor / Jiroskop / Light sensor / Ivme Sensor			
Camera	:	Front 5 MP / Back 13 MP Auto Focus (TM-T04 Includes only back camera)			
Battery	:	3.7V 4500 mAh	3.7V 4000 mAh	4300mAh / 5V/2A QC3.0 Fast Charging	3.7V 5000 mAh
Reader	:	2D Barcode Reader / RFID Reader / UHF Reader (optional)			
Ports	:	Type-C USB / Docking Connector SIM card slot / 1 x Micro SD / 1 x Headphone			
Dimensions	:	163 x 73 x 19 mm / 220 gr	158 x 75 x 24 mm / 260 gr	163 x 77 x 14 mm / 250 gr.	160 x 80 x 16 mm / 240 gr
Certificates	:	CE, RoHS, FCC, MIL-STD 810G			
Accessories	:	Carrying and Protection Device (optional) Car Charger Kit (optional) / Hand Grip (optional)			

Product features are variable.

PANEL PC

Anywhere that needs efficient,
regular and flexible workflow...

- TP1062
- TP1262
- TP1562
- TP1762
- TP1962
- TP2162
- Q70 Magic Touch
- Q80 Magic Touch
- TP1082
- TP1282
- TP1582
- TP1782
- TP1982
- TP2182
- Q100 Magic Touch
- Q118 Magic Touch



PANEL PC

TP1062/TP1262/TP1562/
TP1762/TP1962/TP2162



OS	: Windows 10/11 (10.For generations and above) / Linux / Freedos / Android
CPU	: Intel Atom - Celeron Generation Processors / ARM tabanlı 2/4/8 Core
Memory	: DDR3 DDR4 up to 32 GB
Storage	: mSATA SSD + 2.5" HDD
Display Card	: 8"/10"/12"/15"/17"/19"/21.5" Capacitive TFT LED Panel : HD Display (FHD Display optional)/ Intel HD Graphics
Expansion	: 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: Integrated
Network	: 2 x 10/100/1000Mbps Gigabit Ethernet
Wireless	: WIFI 5 WIFI6 WIFI 6E
Ports	: 4 x Com RS232 / 2 x Com RS485 (optional) / 2 x RJ45 : VGA + HDIM / 4 x USB 3.0 / 1 x Ses Line-out / 1 x Mini PCIe
Keyboard & Mouse	: Multimedia Keyboard & Mouse Wired / Wireless Black / White Set (optional)
Case	: Aluminum / Fanless
Power	: 12V DC, 9V 36V DC (optional)
Environmental	: Operating Temperature: -20°C / +60°C (Aluminum chassis, Fanless)
Dimensions	: 400 x 250 x 70 mm / 7 Kg
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

TP1082/TP1282/TP1582/
TP1782/TP1982/TP2182



OS	: Windows 10/11 (For generations and above) / Linux / Freedos / Android
CPU	: Intel 7./8./10./11./12. Generation Processors (i3/i5/i7)
Memory	: DDR3 DDR4 up to 32 GB
Storage	: mSATA SSD + 2.5" HDD
Display Card	: 8"/10"/12"/15"/17"/19"/21.5" Capacitive TFT LED Panel : HD Display (FHD Display optional)/ Intel HD Graphics
Expansion	: 1 x Mini PCI EX (For Wi-Fi)
Sound Card	: Integrated
Network	: 2 x 10/100/1000Mbps Gigabit Ethernet
Wireless	: WIFI 5 WIFI6 WIFI 6E
Ports	: 4 x Com RS232 / 2 x Com RS485 (optional) / 2 x RJ45 : VGA + HDIM / 4 x USB 3.0 / 1 x Ses Line-out / 1 x Mini PCIe
Keyboard & Mouse	: Multimedia Keyboard & Mouse Wired / Wireless Black / White Set (optional)
Case	: Aluminum / Fanless
Power	: 12V DC, 9V 36V DC (optional)
Environmental	: Operating Temperature: -20°C / +60°C (Aluminum chassis, Fanless)
Dimensions	: 400 x 250 x 70 mm / 7 Kg
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

PANEL PC

Q70/Q70A-Q100/Q100A-Q118/Q118A



Display	: 7"/10.1"/11.6" IPS Display
Resolution	: 1280 x 800 IPS
Touch	: Multi-Touch
CPU	: Intel Atom - Celeron Processors / ARM based 2/4/8 Core Processor
OS	: Windows 10-11 / Linux / Android (optional)
CPU Fan	: No
Memory	: 2/4 GB
Storage	: 16/32/64/128 GB
Battery	: Optional
Wi-Fi	: 802.11 b/g/n/ac(2.4G/5G)
Bluetooth	: BT 4.2
Micro SD	: Yes, up to 64GB
Adapter	: 5V / 3A
Ports	: 3 x USB 2.0 / 1 x USB 3.0 / HDMI / DC IN : 3.5mm Jack / RJ45 LAN / Micro SD Card
Dimensions	: 180 x 115 x 52mm / 245 x 185 x 65mm / 200 x 135 x 27mm
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Q80/Q80A



Display	: 8" IPS Display
Resolution	: 1280 x 800 IPS
Touch	: Multi-Touch
CPU	: Intel Atom - Celeron Processors / ARM based 2/4/8 Core Processor
OS	: Windows 10-11 / Linux / Android (optional)
CPU Fan	: No
Memory	: 2/4 GB
Storage	: 16/32/64/128 GB
Battery	: Optional
Wi-Fi	: 802.11 b/g/n/ac(2.4G/5G)
Bluetooth	: BT 4.2
Micro SD	: Yes, up to 64GB
Adapter	: 5V / 3A
Ports	: 3 x USB 2.0 / 1 x USB 3.0 / HDMI / DC IN : 3.5mm Jack / RJ45 LAN / Micro SD Card
Dimensions	: 200 x 135 x 27mm
Certificates	: CE, RoHS, FCC, IEC 60945, EN 50155

Product features are variable.

Product features are variable.

POS PC

High Performance with one-stop management

- TPP250T
- TPPN18i3
- TPP750T



POS PC



TPP250T



TPPN18i3



TPP750T

Screen Size	: 15" 4:3 TFT LCD, 400 Nits, 1024 x 768, True Flat Capacitive Touch	18.5" LCD Capacitive Touch	21.5" TFT LCD, 1024 x 768, 350nits, True Capacitive Touch
OS	:	Windows 11 Pro-Home / Linux / Android 10-11-12	
CPU	:	10-11-12. Generation Processors (Celeron / Pentium / i3 / i5 / i7)	
	:	ARM Based Processors 2/4/8 core	
Memory	:	DDR4 8GB/16GB/32GB	
Storage	:	HDD (500GB/1TB/2TB) SSD (64GB/128GB/256GB/512GB)	
Back Sreen	:	VDF / 8" 10" 12" 15" Led Display (Touchscreen optional)	
Ethernet	:	1 x RJ-45 (Gigabit Lan)	
Ports	:	1 x RJ-11 / 1 x RJ-45 / 4 x USB 3.0 / 2 x RS-232	
Sound	:	HD Audio, 2W Speaker x 2	
Power	:	12V / 5A (9-36V optional)	
Certificates	:	CE, RoHS, FCC	
Environmental	:	0°C ~ 40°C, 10% ~ 90% Humidity	
Dimensions	:	366 mm x 282 mm x 44 mm	620 x 440 x 230 mm
Weight	:	5,5 kg. (Single-screen)	8,45 kg. (Single-screen)
Additional	:	Thermal Printer, NFC Card Reader, MSR Card Reader	
Warranty	:	2 Years	

Product features are variable.

WORK STATION / GPU SERVER

Longlived, Reliable Working Environment
and Saving of Time

- Work Station
- GPU Server



WORK STATION / GPU SERVER



AMD INTEL WORK STATION

Form Factor	: 4U Tower ve Rack support
CPU	: AMD EPYC™ 7002, AMD EPYC™ 7003, AMD EPYC™ 7004 : AMD EPYC™ 9004 AMD Ryzen™ Threadripper™ PRO 5000 Processor Series : 2nd, 3rd, 4th Gen. Intel® Xeon® Scalable, Intel® Xeon® W Processor Series
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 8, 16 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12 Disc Support
Raid Supports	: 12 GB SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60 (optional)
Display Card	: AMD Radeon™ PRO Series : NVIDIA RTX Professional Graphics
LAN	: 2- or 4-port Gigabit Ethernet / 2- or 4-port 10 GbE RJ45 (optional)
Power Supply	: Single / Redundant 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 9
OS	: Windows 10 (64bit) / Windows 11 (64bit) / Windows 10 Pro for Workstation (64bit) : Windows 11 Pro for Workstation (64bit) / Red Hat Enterprise Linux 8.3 (64bit) : Ubuntu 20.04 LTS (64bit)
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.



AMD INTEL GPU SERVER

Form Factor	: 1U, 2U, 4U, 5U Rack
CPU	: AMD EPYC™ 7002, AMD EPYC™ 7003, AMD EPYC™ 7004 : AMD EPYC™ 9004 AMD Ryzen™ Threadripper™ PRO 5000 Processor Series : 2nd, 3rd, 4th Gen. Intel® Xeon® Scalable, Intel® Xeon® W Processor Series
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 16, 24, 32 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12, 16, 24 Disc Support
Raid Supports	: 12 GB SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60 (optional)
Graphics Accelerator	: AMD Radeon™ PRO Series, AMD Xilinx Alveo™ : NVIDIA RTX Professional Graphics, NVIDIA Data Center GPU
Graphics Accelerator Quantity	: 2, 4, 8 Graphics Card / Graphics Accelerator Support
LAN	: 2- or 4-port Gigabit Ethernet / 2- or 4-port 10 GbE SFP+ / 2- or 4-port 10 GbE RJ45
Power Supply	: Single / Redundant 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 8
OS	: Windows Server 2019 / Windows Server 2022 / Red Hat Enterprise Linux 9.0 (x64) : SUSE Linux Enterprise Server 15 SP2 (x64) / Ubuntu 22.04 LTS (x64) : VMware ESXi 7.0 Update1 / VMware ESXi 8.0
Administration	: Aspeed Management Controller
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

SERVER / STORAGE / NAS/NVR

High Security Recording,
Fast Processing, Central Backup

- AMD / INTEL Tower Server
- AMD / INTEL Rack Server
- NAS / NVR / JBOD



TOWER SERVER



AMD Tower Server

Form Factor	: 4U Tower and Rack support
CPU	: AMD EPYC™ 7002, AMD EPYC™ 7003, AMD EPYC™ 7004, AMD EPYC™ 9004 series
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 16, 24, 32 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12 Disc support
Raid Supports	: 12 Gb SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE SFP+, : 2- or 4-port 10 GbE RJ45
Power Supply	: Single / Dual 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 9
Administration	: Aspeed Management Controller
OS	: Windows Server 2016 / Windows Server 2019 / Windows Server 2022 : Red Hat Enterprise Linux 9.0 (x64) / SUSE Linux Enterprise Server 15 SP2 (x64) : Ubuntu 22.04 LTS (x64) / VMware ESXi 7.0 Update1 / VMware ESXi 8.0 : Citrix Hypervisor 8.2.0
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

Intel Tower Server

Form Factor	: 4U Tower and Rack support
CPU	: 2nd, 3rd, 4th Gen. Intel® Xeon® Scalable CPU
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 16, 24, 32 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12 Disc support
Raid Supports	: 12 Gb SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE SFP+, : 2- or 4-port 10 GbE RJ45
Power Supply	: Single / Dual 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 9
Administration	: Aspeed Management Controller
OS	: Windows Server 2016 / Windows Server 2019 / Windows Server 2022 : Red Hat Enterprise Linux 9.0 (x64) / SUSE Linux Enterprise Server 15 SP2 (x64) : Ubuntu 22.04 LTS (x64) / VMware ESXi 7.0 Update1 / VMware ESXi 8.0 : Citrix Hypervisor 8.2.0
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

RACK SERVER



AMD Rack Server

Form Factor	: 1U, 2U, 4U, 5U Rack
CPU	: AMD EPYC™ 7002, AMD EPYC™ 7003, AMD EPYC™ 7004, AMD EPYC™ 9004 series
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 16, 24, 32 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12, 16, 24 Disc support
Raid Supports	: 12 Gb SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE SFP+, : 2- or 4-port 10 GbE RJ45
Power Supply	: Single / Dual 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 7
Administration	: Aspeed Management Controller
OS	: Windows Server 2016 / Windows Server 2019 / Windows Server 2022 : Red Hat Enterprise Linux 9.0 (x64) / SUSE Linux Enterprise Server 15 SP2 (x64) : Ubuntu 22.04 LTS (x64) / VMware ESXi 7.0 Update1 : VMware ESXi 8.0 / Citrix Hypervisor 8.2.0
Certificates	: Energy Star, CE, RoHS, FCC


Product features are variable.

Intel Rack Server

Form Factor	: 1U, 2U, 4U, 5U Rack
CPU	: 2nd, 3rd, 4th Gen. Intel® Xeon® Scalable CPU
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 16, 24, 32 DIMM
Disc Support	: M2, 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12, 16, 24 Disc support
Raid Supports	: 12 Gb SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE SFP+, : 2- or 4-port 10 GbE RJ45
Power Supply	: Single / Dual 1100W, 1200W, 1400W, 1600W, 2000W
Expansion	: Expansion slot support up to 7
Administration	: Aspeed Management Controller
OS	: Windows Server 2016 / Windows Server 2019 / Windows Server 2022 : Red Hat Enterprise Linux 9.0 (x64) / SUSE Linux Enterprise Server 15 SP2 (x64) : Ubuntu 22.04 LTS (x64) / VMware ESXi 7.0 Update1 / VMware ESXi 8.0 : Citrix Hypervisor 8.2.0
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

NAS / NVR / JBOD



NAS

Form Factor	: 4U Tower and Rack support
CPU	: i3/i5/i7 / Xeon E series
CPU Quantity	: 1
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 4, 8 DIMM
Disc Support	: M2, NVME 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12 Disc support
Raid Supports	: 12 GB SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE RJ45,
Power Supply	: Single 300W / 500W / 750W
OS	: Windows Server 2016 / 2019 / 2022 : Red Hat Enterprise Linux 9.0 (x64) / Ubuntu 22.04 LTS (x64) : SUSE Linux Enterprise Server 15 SP2 (x64) / VMware ESXi 8.0
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

NVR

Form Factor	: 2U, 4U, 5U Rack
CPU	: AMD EPYC™ 7002, AMD EPYC™ 7003, AMD EPYC™ 7004, AMD EPYC™ 9004 Processor Series 2nd, 3rd, 4th Gen. Intel® Xeon® Scalable Processor Series
CPU Quantity	: 1 or 2
RAM Type	: DDR4/DDR5 (according to the processor type)
RAM Quantity	: 8,16 DIMM
Disc Support	: 2.5", 3.5" SAS/SATA/SSD
Disc Quantity	: 4, 8, 12, 16, 24, 36, 42 Disc support
Raid Supports	: 12 GB SAS/SATA RAID 0, 1, 10, 5, 50, 6, 60
LAN	: 2- or 4-port Gigabit Ethernet, : 2- or 4-port 10 GbE SFP+, : 2- or 4-port 10 GbE RJ45, : 2- or 4-port 100 GbE SFP+, Single / Redundant 1100W, 1200W, 1400W, 1600W, 2000W
Power Supply	: Single / Redundant 1100W, 1200W, 1400W, 1600W, 2000W
OS	: Windows Server 2016 / 2019 / 2022 Red Hat Enterprise Linux 9.0 (x64) / SUSE Linux Enterprise Server 15 SP2 (x64) Ubuntu 22.04 LTS (x64) / VMware ESXi 7.0 Update1 / VMware ESXi 8.0 / Citrix Hypervisor 8.2.0
Certificates	: Energy Star, CE, RoHS, FCC

Product features are variable.

JBOD

Form Factor	: 2U, 4U, 5U Rack
Disc Support	: M2, NVME 2.5", 3.5" SAS/SATA/SSD
Backplane	: Mini SAS Backplane
Host Port Quantity	: 2, 4, 8 Host Port
Power Supply	: Single / Redundant : 550W, 1100W, 1200W
Certificates	: Energy Star, CE, RoHS, FCC



0216 329 3 999 - technopc.com.tr - info@technopc.com.tr

[technpcofficial](https://www.instagram.com/technpcofficial) [technopc](https://www.linkedin.com/company/technopc)

