




UT-5BN

Ultra Smart Phone

Yüksek çözünürlüklü ekranı, Quad Core işlemcisi, Dual Sim 3G, RFID, NFC, 2D, Kare Kod okuyabilen barkod okuyucusu, darbeye dayanıklı yapısı, uzun pil ömrü ve Android işletim sistemi ile mağazacılık, depo otomasyonu, data toplama, saha satış operasyonları, hastaneler ve ilaç depoları, lojistik sektörüne yönelik donanım çözümlerinde kullanılmaktadır.





IOT İşlevleri

Opsiyonel olarak UT-5BN ile gelen 2D barkod tarayıcı, UHF RFID, kızılötesi ve NFC modülleriyle ihtiyacınız olan bütün yardımcı donanıma tek bir cihazda sahip olabilirsiniz.



Mükemmel Endüstriyel Performans

Endüstriyel yapıda tasarlanan UT-5BN zorlu kullanım koşullarında en büyük yardımcınız olacaktır.




5 ''720P HD çözünürlüklü ekran

4000 mAh batarya UT-5BN 5'' High-definition çoklu dokunmatik ekranı ile daha kolay çalışma ve daha büyük görüş açısı sağlar. 4000 mAh bataryası ile 20 saate varan kesintisiz çalışmaya imkan verir.



Kablosuz iletişim fonksiyonları

Sahip olduğu 802.11 n wireless iletişim, bluetooth, 3G fonksiyonları ile kesintisiz iletişim sağlar.



Specifications

Basic Parameters	Physical	Size:146*78,5*17mm weight:547g (include battery)
	CPU	Quad-core ARM Cortex A7, 1.3GHz
	GPU	Mali-400MP
	Memory	1GB DDR2 RAM+4GB EMMC ROM
	Operation System	Android 4.2.2
	Color	Black/White
	Display	5" high-definition Multi-touch screen; Resolution: 1280*720dpi;
	Communication	2G: GSM/EDGE:850/900/1800/1900MHz; 3G:WCDMA:UMTS/HSDPA850-2100MHz,TD-SCDMA
	GPS	Built-in GPS, Support A-GPS
	Port	Micro USB2.0, support OTG
	Memory interface	Micro SD card, support 2GB to 32GB
	Bluetooth	Bluetooth 2.1+EDR
	Loudspeaker	Single speaker, 8+-15% ohm
	Wifi	support 802.11b/g/n mode and WEP,WPA/WPA2-PSK/AES/WAPI PSK/802.1*EAP encryption protocol
	Camera	8.0 Mega pixel rear camera; 2.0 Mega pixel front camera; Auto focus; with LED light.
	Battery Capacity	Li-Polymer 4000mAh
Standby time	One week (Charging time: 5-6 hours)	
Duration	20hours	

Optional	1D Barcode	EAN13 , EAN8 , Code 128 - 93 - 39 , UPC A/E , ISBN/ISSN 1D Barkod Destekler.
	2D Barcode	Dahili 2D Barkod Scanner Destekler QR, PDF417 Code 128, EAN-13 & EAN-8, Code 39, UPC-A & UPC-E, Codebar, Interleaved 2 of 5, ISBN/ISSN, Code93, UCC/EAN-128 desteđi
	RFID NFC	NFC Desteđi , 13.5M -ISO14443A/B, 15693 Protocol, okuma mesafesi 2 ~ 5cm okuma mesafesi : pil kapađı. UHF RFID (EPC C1/G2, 18000-6 protocol) desteđi, okuma ve yazma tag (opsiyonel) 2.4G active RFID module, okuma mesafesi 30~50m (opsiyonel).

Product Attribute	Operation Temperature	-25 ~ 65 °C	Light Sensor	Support
	Storage Temperature	-30 ~ 70 °C	Earphone	Support
	Humidity	0~95%	Distance Sensor	Support
	Gravity Sensor	Support	Vibrator	Support
	Microphone	Support	Telephone receiver	Support



YÜCEL ELEKTRONİK LTD. ŞTİ.
www.technopc.com.tr

Adres: Armađan Evler Mah.
Samanyolu Cd. No:24
Çakmak Ümraniye / İstanbul

Tel : 0 216 329 39 99
Fax: 0 216 329 25 00